December 14, 2001

Mr. Richard Hand, Director of Engineering Good Samaritan Hospital 520 South Seventh Street Vincennes, Indiana 47591

Re: R 083-13346-00027

First Reopening to Part 70 Operating

Permit

T 083-7971-00027

Dear Mr. Hand:

Good Samaritan Hospital was issued a Part 70 Operating Permit on July 22, 1999. The Office of Air Quality determined that it was necessary to reopen your Part 70 permit. Notice of the permit reopening pursuant to 326 IAC 2-7-9(c) was provided on August 16, 2000. The notice was published in the newspaper on October 18, 2001. No comments were received during the 30 day public notice comment period and the change is incorporated into your Part 70 permit.

As stated in the Notice, the language in 40 CFR Part 70.6(c)(5)(iii)(B)) was changed from "continuous or intermittent compliance" to "based on continuous or intermittent data" as part of the U.S. EPA's 1997 Compliance Assurance Monitoring rule making (Federal Register Volume 62, page 54900-54947, Wednesday, October 22, 1997). The U.S. District Court of Appeals, Washington D.C. ruled against EPA's language, saying that the Clean Air Act wording of continuous or intermittent compliance had to be used. (NRDC vs. EPA, #97-1727) Therefore, the following change is being made to your permit to be consistent with state and federal law.

Condition B.11(c)(3) is revised as follows:

B.11 Annual Compliance Certification [326 IAC 2-7-6(5)]

- (c) The annual compliance certification report shall include the following:
 - (1) The appropriate identification of each term or condition of this permit that is the basis of the certification:
 - (2) The compliance status;
 - (3) Whether compliance was based on continuous or intermittent data:
 - (4) The methods used for determining compliance of the source, currently and over the reporting period consistent with 326 IAC 2-7-5(3); and
 - (5) Such other facts, as specified in Sections D of this permit, as IDEM, OAQ, may require to determine the compliance status of the source.

Good Samaritan Hospital Vincennes, Indiana Reviewer: Janet Mobley Page 2 of 2 Reopening No. 083-13346-00027 Part 70 Permit No. T 083-7971-00027

The name of IDEM's "Office of Air Management" was changed to "Office of Air Quality" on January 1, 2001. All references to "Office of Air Management" in the permit pages have been changed to "Office of Air Quality" and all references to "OAM" have been changed to "OAQ".

All other conditions of the permit shall remain unchanged and in effect. Please find enclosed the revised Title V Operating Permit.

This decision is subject to the Indiana Administrative Orders and Procedures Act - IC 4-21.5-3-5. If you have any questions on this matter, please contact Janet Mobley, at (800) 451-6027, press 0 and ask for Janet Mobley or extension 2-8369, or dial (317) 232-8369.

Sincerely,

Original signed by Paul Dubenetzky

Paul Dubenetzky, Chief Permits Branch Office of Air Quality

PD/jm

Attachments: Title V Permit
cc: File - Knox County
Knox County Health Department
Air Compliance Section Inspector - Scott Anslinger
Compliance Data Section - Karen Nowak
IDEM Southwest Regional Office
Permit Review II - Janet Mobley

PART 70 OPERATING PERMIT OFFICE OF AIR QUALITY

Good Samaritan Hospital 520 South Seventh Street Vincennes, Indiana 47591

(herein known as the Permittee) is hereby authorized to operate subject to the conditions contained herein, the source described in Section A (Source Summary) of this permit.

This permit is issued in accordance with 326 IAC 2 and 40 CFR Part 70 Appendix A and contains the conditions and provisions specified in 326 IAC 2-7 and 326 IAC 2-1-3.2 as required by 42 U.S.C. 7401, et. seq. (Clean Air Act as amended by the 1990 Clean Air Act Amendments), 40 CFR Part 70.6, IC 13-15 and IC 13-17.

Operation Permit No.: T 083-7971-00027	
Issued by: Janet G. McCabe, Assistant Commissioner Office of Air Quality	Issuance Date: July 22, 1999 Expiration Date: July 22, 2004

First Reopening No.: R 083-13346-00027	Pages Affected: Entire Permit
Original signed by Paul Dubenetzky Issued by: Paul Dubenetzky, Branch Chief Office of Air Quality	Issuance Date: December 14, 2001

First Reopening No.: 083-13346 Reopening by: Janet Mobley Page 2 of 35 OP No. T083-7971-00027

TABLE OF CONTENTS

Α	SOUR	SOURCE SUMMARY 5				
	A.1	General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)]				
	A.2	Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)]				
	A.3	Specifically Regulated Insignificant Activities [326 IAC 2-7-1(21)] [326 IAC 2-7-4(c)]				
	A.4	Part 70 Permit Applicability [326 IAC 2-7-2]				
В	GENE	RAL CONDITIONS 6				
	B.1	Permit No Defense [326 IAC 2-1-10] [IC 13]				
	B.2	Definitions [326 IAC 2-7-1]				
	B.3	Permit Term [326 IAC 2-7-5(2)]				
	B.4	Enforceability [326 IAC 2-7-7(a)]				
	B.5	Termination of Right to Operate [326 IAC 2-7-10] [326 IAC 2-7-4(a)]				
	B.6	Severability [326 IAC 2-7-5(5)]				
	B.7	Property Rights or Exclusive Privilege [326 IAC 2-7-5(6)(D)]				
	B.8	Duty to Supplement and Provide Information [326 IAC 2-7-4(b)] [326 IAC 2-7-5(6)(E)]				
	B.9	Compliance with Permit Conditions [326 IAC 2-7-5(6)(A)] [326 IAC 2-7-5(6)(B)]				
	B.10	Certification [326 IAC 2-7-4(f)] [326 IAC 2-7-6(1)]				
	B.11	Annual Compliance Certification [326 IAC 2-7-6(5)]				
	B.12	Preventive Maintenance Plan [326 IAC 2-7-5(1),(3)and (13)][326 IAC 2-7-6(1)and(6)]				
	B.13	Emergency Provisions [326 IAC 2-7-16]				
	B.14	Permit Shield [326 IAC 2-7-15]				
	B.15	Multiple Exceedances [326 IAC 2-7-5(1)(E)]				
	B.16	Deviations from Permit Requirements and Conditions [326 IAC 2-7-5(3)(C)(ii)]				
	B.17	Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-7-5(6)(C)]				
		[326 IAC 2-7-8(a)] [326 IAC 2-7-9]				
	B.18	Permit Renewal [326 IAC 2-7-4]				
	B.19	Permit Amendment or Modification [326 IAC 2-7-11][326 IAC 2-7-12]				
	B.20	Permit Revision Under Economic Incentives and Other Programs [326 IAC 2-7-5(8)] [326 IAC 2-7-12				
		(b)(2)]				
	B.21	Changes Under Section 502(b)(10) of the Clean Air Act [326 IAC 2-7-20(b)]				
	B.22	Operational Flexibility [326 IAC 2-7-20]				
	B.23	Construction Permit Requirement [326 IAC 2]				
	B.24	Inspection and Entry [326 IAC 2-7-6(2)]				
	B.25	Transfer of Ownership or Operation [326 IAC 2-1-6] [326 IAC 2-7-11]				
	B.26	Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-7-5(7)]				
	B.27	Enhanced New Source Review [326 IAC 2]				
С	SOUR	CE OPERATION CONDITIONS				
	Emiss	ion Limitations and Standards [326 IAC 2-7-5(1)]				
	C.1	Particulate Matter Emission Limitations For Processes with Process Weight Rates [326 IAC 6-3-2(c)]				
	C.2	Opacity [326 IAC 5-1]				
	C.3	Open Burning [326 IAC 4-1] [IC 13-17-9]				
	C.4	Incineration [326 IAC 4-2] [326 IAC 9-1-2]				
	C.5	Fugitive Dust Emissions [326 IAC 6-4]				
	C.6	Operation of Equipment [326 IAC 2-7-6(6)]				
	C.7	Stack Height [326 IAC 1-7]				
	C.8	Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61.140]				
	Testin	g Requirements [326 IAC 2-7-6(1)]				
	C.9	Performance Testing [326 IAC 3-6]				

Good Samaritan Hospital First Reopening No.: 083-13346 Page 3 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

	Compliance Monitoring Requirements [326 IAC 2-7-5(1)] [326 IAC 2-7-6(1)]
	C.10 Compliance Schedule [326 IAC 2-7-6(3)]
	C.11 Compliance Monitoring [326 IAC 2-7-5(3)] [326 IAC 2-7-6(1)]
	C.12 Maintenance of Monitoring Equipment [326 IAC 2-7-5(3)(A)(iii)]
	C.13 Monitoring Methods [326 IAC 3]
	C.14 Pressure Gauge Specifications
	Corrective Actions and Response Steps [326 IAC 2-7-5] [326 IAC 2-7-6]
	C.15 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]
	C.16 Risk Management Plan [326 IAC 2-7-5(12)] [40 CFR 68.215]
	C.17 Compliance Monitoring Plan - Failure to Take Response Steps [326 IAC 2-7-5]
	C.18 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5]
	Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]
	C.20 Monitoring Data Availability [326 IAC 2-7-6(1)] [326 IAC 2-7-5(3)]
	C.21 General Record Keeping Requirements [326 IAC 2-7-5(3)]
	C.22 General Reporting Requirements [326 IAC 2-7-5(3)(C)]
	Stratospheric Ozone Protection
	C.23 Compliance with 40 CFR 82 and 326 IAC 22-1
D.1	FACILITY OPERATION CONDITIONS - Medical Waste Incinerator, EU1
	Emission Limitations and Standards [326 IAC 2-7-5(1)]
	D.1.1 Special Condition
	D.1.2 Burning Regulations for Incinerators (PM) [326 IAC 4-2]
	D.1.3 General Provisions Relating to NSPS [326 IAC 12-1][40 CFR Part 60, Subpart A]
	D.1.4 Hospital/ Medical/ Infectious Waste Incinerators [326 IAC 11-6][40 CFR 60, Subpart Ce]
	D.1.5 Operator Training and Qualification Requirements [40 CFR 60.34e][40 CFR 60.53c(h)] [326 IAC 11-6-5]
	D.1.6 Waste Management Plan [326 IAC 11-6-6][40 CFR 60.35e]
	D.1.7 Carbon Monoxide [326 IAC 9-1-2]
	D.1.8 Preventive Maintenance Plan [326 IAC 2-7-5(13)]
	Compliance Determination Requirements
	D.1.9 Testing Requirements [326 IAC 2-7-6(1),(6)] [326 IAC 11-6-7][40 CFR 60, Subpart Ce] D.1.10 Compliance Date [326 IAC 11-6-9][40 CFR 60.39e]
	Compliance Monitoring Requirements [326 IAC 2-7-6(1)] [326 IAC 2-7-5(1)]
	D.1.11 Monitoring [326 IAC 11-6-7][40 CFR 60.57c]
	D.1.12 Visible Emissions Notations
	Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]
	D.1.13 Record Keeping Requirements
	D.1.14 Reporting Requirements
D.2	FACILITY OPERATION CONDITIONS - Natural Gas Fired Boilers, EU2 and EU3
	Emission Limitations and Standards [326 IAC 2-7-5(1)]
	D.2.1 Particulate Matter Limitation (PM) [326 IAC 6-2-4]
	D.2.2 Sulfur Dioxide (SO ₂) [326 IAC 7-1.1-1]
	D.2.3 Preventive Maintenance Plan [326 IAC 2-7-5(13)]
	D.2.3 Freventive Maintenance Flant [320 IAC 2-7-3(13)]
	Compliance Determination Requirements
	D.2.4 Testing Requirements [326 IAC 2-7-6(1),(6)]
	D.2.5 Sulfur Dioxide Emissions and Sulfur Content

Page 4 of 35 OP No. T083-7971-00027 Good Samaritan Hospital First Reopening No.: 083-13346 Vincennes, Indiana Reopening by: Janet Mobley Permit Reviewer: Melissa Groch

Compliance Monitoring Requirements [326 IAC 2-7-6(1)] [326 IAC 2-7-5(1)]

D.2.6 Visible Emissions Notations

- D.2.7 Record Keeping RequirementsD.2.8 Reporting Requirements

Certification	30
Emergency/Deviation Occurrence Report	31
Natural Gas Fired Boiler Certification	33
Quarterly Report	34
Quarterly Compliance Monitoring Report	

SECTION A

First Reopening No.: 083-13346 Reopening by: Janet Mobley

SOURCE SUMMARY

Page 5 of 35

OP No. T083-7971-00027

This permit is based on information requested by the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ). The information describing the source contained in conditions A.1 through A.3 is descriptive information and does not constitute enforceable conditions. However, the Permittee should be aware that a physical change or a change in the method of operation that may render this descriptive information obsolete or inaccurate may trigger requirements for the Permittee to obtain additional permits or seek modification of this permit pursuant to 326 IAC 2, or change other applicable requirements presented in the permit application.

A.1 General Information [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)]

The Permittee owns and operates a stationary source, that operates a hospital medical waste incinerator.

Responsible Official: Richard Hand, Director of Engineering

Source Address: 520 South Seventh Street, Vincennes, Indiana, 47951

Mailing Address: Same SIC Code: 0806 County Location: Knox

County Status: Attainment for all criteria pollutants

Source Status: Part 70 Permit Program

Minor Source, under PSD

Major Source, Section 112 of the Clean Air Act

- A.2 Emission Units and Pollution Control Equipment Summary [326 IAC 2-7-4(c)(3)] [326 IAC 2-7-5(15)]
 - This stationary source consists of the following emission units and pollution control devices:
 - (a) One (1) large Medical Waste Incinerator, rated at 4.8 MMBtu per hour, identified as EU1, constructed in 1992, with a maximum charge rate of less than 500 pounds per hour of medical waste. Emissions shall be exhausted at stack S1.
 - (b) Two (2) natural gas fired boilers using distillate fuel for backup, identified as EU2 and EU3, each rated at 46 MMBtu per hour, and constructed in 1969, with both exhausting at stack S2.
- A.3 Specifically Regulated Insignificant Activities [326 IAC 2-7-1(21)] [326 IAC 2-7-4(c)] [326 IAC 2-7-5(15)]

 This stationary source also includes the following insignificant activities which are specifically regulated, as defined in 326 IAC 2-7-1(21):
 - (a) The following equipment related to manufacturing activities not resulting in the emission of HAPs; brazing equipment, cutting torches, soldering equipment, welding equipment.
 - (b) Grinding and machining operations controlled with fabric filters, scrubbers, mist collectors, wet collectors, and electrostatic precipitators with a design grain loading of less than or equal to 0.03 grains per actual cubic foot and a gas flow rate less than or equal to 4000 actual cubic feet per minute, including the following: deburring; buffing; polishing; abrasive blasting; pnematic conveying; and woodworking operations.
- A.4 Part 70 Permit Applicability [326 IAC 2-7-2]

This stationary source is required to have a Part 70 permit by 326 IAC 2-7-2 (Applicability) because:

- (a) It is a major source, as defined in 326 IAC 2-7-1(22);
- (b) It is a source in a source category designated by the United States Environmental Protection Agency (U.S. EPA) under 40 CFR 70.3 (Part 70 Applicability).

SECTION B

First Reopening No.: 083-13346 Reopening by: Janet Mobley

GENERAL CONDITIONS

Page 6 of 35

OP No. T083-7971-00027

B.1 Permit No Defense [326 IAC 2-1-10] [IC 13]

- (a) Indiana statutes from IC 13 and rules from 326 IAC, quoted in conditions in this permit, are those applicable at the time the permit was issued. The issuance or possession of this permit shall not alone constitute a defense against an alleged violation of any law, regulation or standard, except for the requirement to obtain a Part 70 permit under 326 IAC 2-7.
- (b) This prohibition shall not apply to alleged violations of applicable requirements for which the Commissioner has granted a permit shield in accordance with 326 IAC 2-1-3.2 or 326 IAC 2-7-15, as set out in this permit in the Section B condition entitled "Permit Shield."

B.2 Definitions [326 IAC 2-7-1]

Terms in this permit shall have the definition assigned to such terms in the referenced regulation. In the absence of definitions in the referenced regulation, any applicable definitions found in IC 13-11, 326 IAC 1-2 and 326 IAC 2-7 shall prevail.

B.3 Permit Term [326 IAC 2-7-5(2)]

This permit is issued for a fixed term of five (5) years from the effective date, as determined in accordance with IC 4-21.5-3-5(f) and IC 13-15-5-3.

B.4 Enforceability [326 IAC 2-7-7(a)]

- (a) All terms and conditions in this permit, including any provisions designed to limit the source's potential to emit, are enforceable by IDEM.
- (b) Unless otherwise stated, terms and conditions of this permit, including any provisions to limit the source's potential to emit, are enforceable by the United States Environmental Protection Agency (U.S. EPA) and citizens under the Clean Air Act.

B.5 Termination of Right to Operate [326 IAC 2-7-10] [326 IAC 2-7-4(a)]

The Permittee's right to operate this source terminates with the expiration of this permit unless a timely and complete renewal application is submitted at least nine (9) months prior to the date of expiration of the source's existing permit, consistent with 326 IAC 2-7-3 and 326 IAC 2-7-4(a).

B.6 Severability [326 IAC 2-7-5(5)]

The provisions of this permit are severable; a determination that any portion of this permit is invalid shall not affect the validity of the remainder of the permit.

B.7 Property Rights or Exclusive Privilege [326 IAC 2-7-5(6)(D)]

This permit does not convey any property rights of any sort, or any exclusive privilege.

B.8 Duty to Supplement and Provide Information [326 IAC 2-7-4(b)] [326 IAC 2-7-5(6)(E)]

(a) The Permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information to:

Indiana Department of Environmental Management Permits Branch, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

- (b) The Permittee shall furnish to IDEM, OAQ, within a reasonable time, any information that IDEM, OAQ, may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit.
- (c) Upon request, the Permittee shall also furnish to IDEM, OAQ, copies of records required to be kept by this permit. If the Permittee wishes to assert a claim of confidentiality over any of the furnished records, the Permittee must furnish such records to IDEM, OAQ, along with a claim of confidentiality under 326

Good Samaritan Hospital First Reopening No.: 083-13346 Page 7 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027

Permit Reviewer: Melissa Groch

IAC 17. If requested by IDEM, OAQ, or the U.S. EPA, to furnish copies of requested records directly to U.S. EPA, and if the Permittee is making a claim of confidentiality regarding the furnished records, then the Permittee must furnish such confidential records directly to the U.S. EPA along with a claim of confidentiality under 40 CFR 2, Subpart B.

B.9 Compliance with Permit Conditions [326 IAC 2-7-5(6)(A)] [326 IAC 2-7-5(6)(B)]

- (a) The Permittee must comply with all conditions of this permit. Noncompliance with any provisions of this permit constitutes a violation of the Clean Air Act and is grounds for:
 - Enforcement action;
 - (2) Permit termination, revocation and reissuance, or modification; or
 - (3) Denial of a permit renewal application.
- (b) It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

B.10 Certification [326 IAC 2-7-4(f)] [326 IAC 2-7-6(1)]

- (a) Any application form, report, or compliance certification submitted under this permit shall contain certification by a responsible official of truth, accuracy, and completeness. This certification, and any other certification required under this permit, shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.
- (b) One (1) certification shall be included, on the attached Certification Form, with each submittal.
- (c) A responsible official is defined at 326 IAC 2-7-1(34).

B.11 Annual Compliance Certification [326 IAC 2-7-6(5)]

(a) The Permittee shall annually submit a compliance certification report which addresses the status of the source's compliance with the terms and conditions contained in this permit, including emission limitations, standards, or work practices. The certification shall cover the time period from January 1 to December 31 of the previous year, and shall be submitted in letter form no later than July 1 of each year to:

Indiana Department of Environmental Management Compliance Data Section, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

and

United States Environmental Protection Agency, Region V Air and Radiation Division, Air Enforcement Branch - Indiana (AE-17J) 77 West Jackson Boulevard Chicago, Illinois 60604-3590

- (b) The annual compliance certification report required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (c) The annual compliance certification report shall include the following:
 - (1) The identification of each term or condition of this permit that is the basis of the certification;
 - (2) The compliance status;

Good Samaritan Hospital First Reopening Vincennes, Indiana Reopening bermit Reviewer: Melissa Groch

First Reopening No.: 083-13346 Reopening by: Janet Mobley Page 8 of 35

OP No. T083-7971-00027

- (3) Whether compliance was continuous or intermittent;
- (4) The methods used for determining compliance of the source, currently and over the reporting period consistent with 326 IAC 2-7-5(3);
- (5) Such other facts, as specified in Sections D of this permit, as IDEM, OAQ, may require to determine the compliance status of the source.

The submittal by the Permittee does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

B.12 Preventive Maintenance Plan [326 IAC 2-7-5(1),(3) and (13)] [326 IAC 2-7-6(1) and (6)] [326 IAC 1-6-3]

- (a) If required by specific condition(s) in Section D of this permit, the Permittee shall prepare and maintain Preventive Maintenance Plans (PMP) within ninety (90) days after issuance of this permit, including the following information on each facility:
 - (1) Identification of the individual(s) responsible for inspecting, maintaining, and repairing emission control devices;
 - (2) A description of the items or conditions that will be inspected and the inspection schedule for said items or conditions;
 - (3) Identification and quantification of the replacement parts that will be maintained in inventory for quick replacement.

If due to circumstances beyond its control, the PMP cannot be prepared and maintained within the above time frame, the Permittee may extend the date an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management Compliance Branch, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

- (b) The Permittee shall implement the Preventive Maintenance Plans as necessary to ensure that lack of proper maintenance does not cause or contribute to a violation of any limitation on emissions or potential to emit.
- (c) PMP's shall be submitted to IDEM, OAQ, upon request and shall be subject to review and approval by IDEM, OAQ.

B.13 Emergency Provisions [326 IAC 2-7-16]

- (a) An emergency, as defined in 326 IAC 2-7-1(12), is not an affirmative defense for an action brought for noncompliance with a federal or state health-based emission limitation, except as provided in 326 IAC 2-7-16.
- (b) An emergency, as defined in 326 IAC 2-7-1(12), constitutes an affirmative defense to an action brought for noncompliance with a health-based or technology-based emission limitation if the affirmative defense of an emergency is demonstrated through properly signed, contemporaneous operating logs or other relevant evidence that describe the following:
 - (1) An emergency occurred and the Permittee can, to the extent possible, identify the causes of the emergency;
 - (2) The permitted facility was at the time being properly operated;
 - (3) During the period of an emergency, the Permittee took all reasonable steps to minimize levels

Good Samaritan Hospital First Reopening No.: 083-13346
Vincennes, Indiana Reopening by: Janet Mobley
Permit Reviewer: Melissa Groch

of emissions that exceeded the emission standards or other requirements in this permit;

Page 9 of 35

OP No. T083-7971-00027

(4) For each emergency lasting one (1) hour or more, the Permittee notified IDEM, OAQ, within four (4) daytime business hours after the beginning of the emergency, or after the emergency was discovered or reasonably should have been discovered;

Telephone Number: 1-800-451-6027 (ask for Office of Air Quality,

Compliance Section), or

Telephone Number: 317-233-5674 (ask for Compliance Section)

Facsimile Number: 317-233-5967

(5) For each emergency lasting one (1) hour or more, the Permittee submitted notice, either in writing or facsimile, of the emergency to:

Indiana Department of Environmental Management Compliance Branch, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis. Indiana 46206-6015

within two (2) working days of the time when emission limitations were exceeded due to the emergency.

The notice fulfills the requirement of 326 IAC 2-7-5(3)(C)(ii) and must contain the following:

- (A) A description of the emergency;
- (B) Any steps taken to mitigate the emissions; and
- (C) Corrective actions taken.

The notification which shall be submitted by the Permittee does not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (6) The Permittee immediately took all reasonable steps to correct the emergency.
- (c) In any enforcement proceeding, the Permittee seeking to establish the occurrence of an emergency has the burden of proof.
- (d) This emergency provision supersedes 326 IAC 1-6 (Malfunctions) for sources subject to this rule after the effective date of this rule. This permit condition is in addition to any emergency or upset provision contained in any applicable requirement.
- (e) IDEM, OAQ, may require that the Preventive Maintenance Plans required under 326 IAC 2-7-4-(c)(9) be revised in response to an emergency.
- (f) Failure to notify IDEM, OAQ, by telephone or facsimile of an emergency lasting more than one (1) hour in compliance with (b)(4) and (5) of this condition shall constitute a violation of 326 IAC 2-7 and any other applicable rules.
- (g) Operations may continue during an emergency only if the following conditions are met:
 - (1) If the emergency situation causes a deviation from a technology-based limit, the Permittee may continue to operate the affected emitting facilities during the emergency provided the Permittee immediately takes all reasonable steps to correct the emergency and minimize emissions.
 - (2) If an emergency situation causes a deviation from a health-based limit, the Permittee may not continue to operate the affected emissions facilities unless:

First Reopening No.: 083-13346 Reopening by: Janet Mobley

(A) The Permittee immediately takes all reasonable steps to correct the emergency situation and to minimize emissions; and

Page 10 of 35

OP No. T083-7971-00027

(B) Continued operation of the facilities is necessary to prevent imminent injury to persons, severe damage to equipment, substantial loss of capital investment, or loss of product or raw materials of substantial economic value.

Any operation shall continue no longer than the minimum time required to prevent the situations identified in (g)(2)(B) of this condition.

B.14 Permit Shield [326 IAC 2-7-15]

- (a) This condition provides a permit shield as addressed in 326 IAC 2-7-15.
- (b) This permit shall be used as the primary document for determining compliance with applicable requirements established by previously issued permits. Compliance with the conditions of this permit shall be deemed in compliance with any applicable requirements as of the date of permit issuance, provided that:
 - (1) The applicable requirements are included and specifically identified in this permit; or
 - (2) The permit contains an explicit determination or concise summary of a determination that other specifically identified requirements are not applicable.
- (c) If, after issuance of this permit, it is determined that the permit is in nonconformance with an applicable requirement that applied to the source on the date of permit issuance, including any term or condition from a previously issued construction or operation permit, IDEM, OAQ, shall immediately take steps to reopen and revise this permit and issue a compliance order to the Permittee to ensure expeditious compliance with the applicable requirement until the permit is reissued. The permit shield shall continue in effect so long as the Permittee is in compliance with the compliance order.
- (d) No permit shield shall apply to any permit term or condition that is determined after issuance of this permit to have been based on erroneous information supplied in the permit application.
- (e) Nothing in 326 IAC 2-7-15 or in this permit shall alter or affect the following:
 - (1) The provisions of Section 303 of the Clean Air Act (emergency orders), including the authority of the U.S. EPA under Section 303 of the Clean Air Act;
 - (2) The liability of the Permittee for any violation of applicable requirements prior to or at the time of this permit's issuance;
 - (3) The applicable requirements of the acid rain program, consistent with Section 408(a) of the Clean Air Act; and
 - (4) The ability of U.S. EPA to obtain information from the Permittee under Section 114 of the Clean Air Act.
- (f) This permit shield is not applicable to any change made under 326 IAC 2-7-20(b)(2) (Sections 502(b)(10) of the Clean Air Act changes) and 326 IAC 2-7-20(c)(2) (trading based on State Implementation Plan (SIP) provisions).
- (g) This permit shield is not applicable to modifications eligible for group processing until after IDEM, OAQ, has issued the modifications. [326 IAC 2-7-12(c)(7)]
- (h) This permit shield is not applicable to minor Part 70 permit modifications until after IDEM, OAQ, has issued the modification. [326 IAC 2-7-12(b)(8)]

Good Samaritan Hospital First Reopening No.: 083-13346 Page 11 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

B.15 Multiple Exceedances [326 IAC 2-7-5(1)(E)]

Any exceedance of a permit limitation or condition contained in this permit, which occurs contemporaneously with an exceedance of an associated surrogate or operating parameter established to detect or assure compliance with that limit or condition, both arising out of the same act or occurrence, shall constitute a single potential violation of this permit.

B.16 Deviations from Permit Requirements and Conditions [326 IAC 2-7-5(3)(C)(ii)]

(a) Deviations from any permit requirements (for emergencies see Section B - Emergency Provisions), the probable cause of such deviations, and any response steps or preventive measures taken shall be reported to:

Indiana Department of Environmental Management Compliance Branch, Office of Air Quality 100 North Senate Avenue, P.O. Box 6015 Indianapolis, Indiana 46206-6015

within ten (10) calendar days from the date of the discovery of the deviation.

- (b) A deviation is an exceedance of a permit limitation or a failure to comply with a requirement of the permit or a rule. It does not include:
 - (1) An excursion from compliance monitoring parameters as identified in Section D of this permit unless tied to an applicable rule or limit; or
 - (2) An emergency as defined in 326 IAC 2-7-1(12); or
 - (3) Failure to implement elements of the Preventive Maintenance Plan unless lack of maintenance has caused or contributed to a deviation.
 - (4) Failure to make or record information required by the compliance monitoring provisions of Section D unless such failure exceeds 5% of the required data in any calendar quarter.

A Permittee's failure to take the appropriate response step when an excursion of a compliance monitoring parameter has occurred is a deviation.

- (c) Written notification shall be submitted on the attached Emergency/Deviation Occurrence Reporting Form or its substantial equivalent. The notification does not need to be certified by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (d) Proper notice submittal under 326 IAC 2-7-16 satisfies the requirement of this subsection.
- B.17 Permit Modification, Reopening, Revocation and Reissuance, or Termination [326 IAC 2-7-5(6)(C)] [326 IAC 2-7-8(a)] [326 IAC 2-7-9]
 - (a) This permit may be modified, reopened, revoked and reissued, or terminated for cause. The filing of a request by the Permittee for a Part 70 permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of this permit. [326 IAC 2-7-5(6)(C)]
 - (b) This permit shall be reopened and revised under any of the circumstances listed in IC 13-15-7-2 or if IDEM, OAQ, determines any of the following:
 - (1) That this permit contains a material mistake.
 - (2) That inaccurate statements were made in establishing the emissions standards or other terms or conditions.
 - (3) That this permit must be revised or revoked to assure compliance with an applicable requirement. [326 IAC 2-7-9(a)(3)]

Good Samaritan Hospital First Reopening No.: 083-13346 Page 12 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

(c) Proceedings by IDEM, OAQ, to reopen and revise this permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of this permit for which cause to reopen exists. Such reopening and revision shall be made as expeditiously as practicable. [326 IAC 2-7-9(b)]

(d) The reopening and revision of this permit, under 326 IAC 2-7-9(a), shall not be initiated before notice of such intent is provided to the Permittee by IDEM, OAQ, at least thirty (30) days in advance of the date this permit is to be reopened, except that IDEM, OAQ, may provide a shorter time period in the case of an emergency. [326 IAC 2-7-9(c)]

B.18 Permit Renewal [326 IAC 2-7-4]

(a) The application for renewal shall be submitted using the application form or forms prescribed by IDEM, OAQ, and shall include the information specified in 326 IAC 2-7-4. Such information shall be included in the application for each emission unit at this source, except those emission units included on the trivial or insignificant activities list contained in 326 IAC 2-7-1(21) and 326 IAC 2-7-1(40).

Request for renewal shall be submitted to:

Indiana Department of Environmental Management Permits Branch, Office of Air Quality 100 North Senate Avenue, P.O. Box 6015 Indianapolis, Indiana 46206-6015

- (b) Timely Submittal of Permit Renewal [326 IAC 2-7-4(a)(1)(D)]
 - (1) A timely renewal application is one that is:
 - (A) Submitted at least nine (9) months prior to the date of the expiration of this permit; and
 - (B) If the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due. [326 IAC 2-5-3]
 - (2) If IDEM, OAQ, upon receiving a timely and complete permit application, fails to issue or deny the permit renewal prior to the expiration date of this permit, this existing permit shall not expire and all terms and conditions shall continue in effect, including any permit shield provided in 326 IAC 2-7-15, until the renewal permit has been issued or denied.
- (c) Right to Operate After Application for Renewal [326 IAC 2-7-3] If the Permittee submits a timely and complete application for renewal of this permit, the source's failure to have a permit is not a violation of 326 IAC 2-7 until IDEM, OAQ, takes final action on the renewal application, except that this protection shall cease to apply if, subsequent to the completeness determination, the Permittee fails to submit by the deadline specified in writing by IDEM, OAQ, any additional information identified as being needed to process the application.
- (d) United States Environmental Protection Agency Authority [326 IAC 2-7-8(e)]

 If IDEM, OAQ, fails to act in a timely way on a Part 70 permit renewal, the U.S. EPA may invoke its authority under Section 505(e) of the Clean Air Act to terminate or revoke and reissue a Part 70 permit.

B.19 Permit Amendment or Modification [326 IAC 2-7-11] [326 IAC 2-7-12]

- (a) The Permittee must comply with the requirements of 326 IAC 2-7-11 or 326 IAC 2-7-12 whenever the Permittee seeks to amend or modify this permit.
- (b) Any application requesting an amendment or modification of this permit shall be submitted to:

Indiana Department of Environmental Management Permits Branch, Office of Air Quality 100 North Senate Avenue, P.O. Box 6015 Indianapolis, Indiana 46206-6015 Good Samaritan Hospital First Reopening No.: 083-13346 Page 13 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027

Permit Reviewer: Melissa Groch

Any such application should be certified by the "responsible official" as defined by 326 IAC 2-7-1(34) only if a certification is required by the terms of the applicable rule

(c) The Permittee may implement administrative amendment changes addressed in the request for an administrative amendment immediately upon submittal of the request. [326 IAC 2-7-11(c)(3)]

B.20 Permit Revision Under Economic Incentives and Other Programs [326 IAC 2-7-5(8)] [326 IAC 2-7-12 (b)(2)]

- (a) No Part 70 permit revision shall be required under any approved economic incentives, marketable Part 70 permits, emissions trading, and other similar programs or processes for changes that are provided for in a Part 70 permit.
- (b) Notwithstanding 326 IAC 2-7-12(b)(1)(D)(i) and 326 IAC 2-7-12(c)(1), minor Part 70 permit modification procedures may be used for Part 70 modifications involving the use of economic incentives, marketable Part 70 permits, emissions trading, and other similar approaches to the extent that such minor Part 70 permit modification procedures are explicitly provided for in the applicable State Implementation Plan (SIP) or in applicable requirements promulgated or approved by the U.S. EPA.

B.21 Changes Under Section 502(b)(10) of the Clean Air Act [326 IAC 2-7-20(b)]

The Permittee may make Section 502(b)(10) of the Clean Air Act changes (this term is defined at 326 IAC 2-7-1(36)) without a permit revision, subject to the constraint of 326 IAC 2-7-20(a) and the following additional conditions:

- (a) For each such change, the required written notification shall include a brief description of the change within the source, the date on which the change will occur, any change in emissions, and any permit term or condition that is no longer applicable as a result of the change.
- (b) The permit shield, described in 326 IAC 2-7-15, shall not apply to any change made under 326 IAC 2-7-20(b).

B.22 Operational Flexibility [326 IAC 2-7-20]

- (a) The Permittee may make any change or changes at the source that are described in 326 IAC 2-7-20(b), (c), or (e), without a prior permit revision, if each of the following conditions is met:
 - (1) The changes are not modifications under any provision of Title I of the Clean Air Act;
 - (2) Any approval required by 326 IAC 2-1 has been obtained;
 - (3) The changes do not result in emissions which exceed the emissions allowable under this permit (whether expressed herein as a rate of emissions or in terms of total emissions);
 - (4) The Permittee notifies the:

Indiana Department of Environmental Management Permits Branch, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

and

United States Environmental Protection Agency, Region V Air and Radiation Division, Regulation Development Branch - Indiana (AR-18J) 77 West Jackson Boulevard Chicago, Illinois 60604-3590

in advance of the change by written notification at least ten (10) days in advance of the proposed change. The Permittee shall attach every such notice to the Permittee's copy of this permit; and

Good Samaritan Hospital First Reopening No.: 083-13346 Page 14 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

(5) The Permittee maintains records on-site which document, on a rolling five (5) year basis, all such changes and emissions trading that are subject to 326 IAC 2-7-20(b), (c), or (e) and makes such records available, upon reasonable request, for public review.

Such records shall consist of all information required to be submitted to IDEM, OAQ, in the notices specified in 326 IAC 2-7-20(b), (c)(1), and (e)(2).

- (b) For each such Section 502(b)(10) of the Clean Air Act change, the required written notification shall include the following:
 - (1) A brief description of the change within the source;
 - (2) The date on which the change will occur;
 - (3) Any change in emissions; and
 - (4) Any permit term or condition that is no longer applicable as a result of the change.

The notification which shall be submitted by the Permittee does not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (c) Emission Trades [326 IAC 2-7-20(c)]
 The Permittee may trade increases and decreases in emissions in the source, where the applicable SIP provides for such emission trades without requiring a permit revision, subject to the constraints of Section (a) of this condition and those in 326 IAC 2-7-20(c).
- (d) Alternative Operating Scenarios [326 IAC 2-7-20(d)]

 The Permittee may make changes at the source within the range of alternative operating scenarios that are described in the terms and conditions of this permit in accordance with 326 IAC 2-7-5(9). No prior notification of IDEM, OAQ, or U.S. EPA is required.
- (e) Backup fuel switches specifically addressed in, and limited under, Section D of this permit shall not be considered alternative operating scenarios. Therefore, the notification requirements of part (a) of this condition do not apply.

B.23 Construction Permit Requirement [326 IAC 2]

Except as allowed by Indiana P.L. 130-1996 Section 12, as amended by P.L. 244-1997, modification, construction, or reconstruction shall be approved as required by and in accordance with 326 IAC 2.

B.24 Inspection and Entry [326 IAC 2-7-6(2)]

Upon presentation of proper identification cards, credentials, and other documents as may be required by law, the Permittee shall allow IDEM, OAQ, U.S. EPA, or an authorized representative to perform the following:

- (a) Enter upon the Permittee's premises where a Part 70 source is located, or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- (b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- (c) Inspect, at reasonable times, any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- (d) Sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with this permit or applicable requirements; and

Good Samaritan Hospital First Reopening No.: 083-13346 Page 15 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

(e) Utilize any photographic, recording, testing, monitoring, or other equipment for the purpose of assuring compliance with this permit or applicable requirements. [326 IAC 2-7-6(6)]

- (1) The Permittee may assert a claim that, in the opinion of the Permittee, information removed or about to be removed from the source by IDEM, OAQ, or an authorized representative, contains information that is confidential under IC 5-14-3-4(a). The claim shall be made in writing before or at the time the information is removed from the source. In the event that a claim of confidentiality is so asserted, neither IDEM, OAQ, nor an authorized representative, may disclose the information unless and until IDEM, OAQ, makes a determination under 326 IAC 17-1-7 through 326 IAC 17-1-9 that the information is not entitled to confidential treatment and that determination becomes final. [IC 5-14-3-4; IC 13-14-11-3; 326 IAC 17-1-7 through 326 IAC 17-1-9]
- (2) The Permittee, and IDEM, OAQ, acknowledge that the federal law applies to claims of confidentiality made by the Permittee with regard to information removed or about to be removed from the source by U.S. EPA. [40 CFR Part 2, Subpart B]

B.25 Transfer of Ownership or Operation [326 IAC 2-1-6] [326 IAC 2-7-11] Pursuant to 326 IAC 2-1-6 and 326 IAC 2-7-11:

- (a) In the event that ownership of this source is changed, the Permittee shall notify IDEM, OAQ, Permits Branch, within thirty (30) days of the change. Notification shall include a written agreement containing a specific date for transfer of permit responsibility, coverage, and liability between the Permittee and the new owner.
- (b) The written notification shall be sufficient to transfer the permit to the new owner by an administrative amendment pursuant to 326 IAC 2-7-11. The notification which shall be submitted by the Permittee does not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).
- (c) IDEM, OAQ, shall reserve the right to issue a new permit.

B.26 Annual Fee Payment [326 IAC 2-7-19] [326 IAC 2-7-5(7)]

- (a) The Permittee shall pay annual fees to IDEM, OAQ, within thirty (30) calendar days of receipt of a billing. If the Permittee does not receive a bill from IDEM, OAQ the applicable fee is due April 1 of each year.
- (b) Failure to pay may result in administrative enforcement action, or revocation of this permit.
- (c) The Permittee may call the following telephone numbers: 1-800-451-6027 or 317-233-0425 (ask for OAQ, Technical Support and Modeling Section), to determine the appropriate permit fee.

B.27 Enhanced New Source Review [326 IAC 2]

The requirements of the construction permit rules in 326 IAC 2 are satisfied by this permit for any previously unpermitted facilities and facilities to be constructed within eighteen (18) months after the date of issuance of this permit, as listed in Sections A.2 and A.3.

SECTION C

First Reopening No.: 083-13346 Reopening by: Janet Mobley

SOURCE OPERATION CONDITIONS

Page 16 of 35

OP No. T083-7971-00027

Entire Source

Emission Limitations and Standards [326 IAC 2-7-5(1)]

C.1 Particulate Matter Emission Limitations For Processes with Process Weight Rates Less Than One Hundred (100) pounds per hour [326 IAC 6-3-2(c)]

Pursuant to 326 IAC 6-3-2(c), the allowable particulate matter emissions rate from any process not already regulated by 326 IAC 6-1 or any New Source Performance Standard, and which has a maximum process weight rate less than 100 pounds per hour shall not exceed 0.551 pounds per hour.

C.2 Opacity [326 IAC 5-1]

Pursuant to 326 IAC 5-1-2 (Opacity Limitations), except as provided in 326 IAC 5-1-3 (Temporary Exemptions), opacity shall meet the following, unless otherwise stated in this permit:

- (a) Opacity shall not exceed an average of forty percent (40%) in any one (1) six (6) minute averaging period as determined in 326 IAC 5-1-4.
- (b) Opacity shall not exceed sixty percent (60%) for more than a cumulative total of fifteen (15) minutes (sixty (60) readings as measured according to 40 CFR 60, Appendix A, Method 9 or fifteen (15) one (1) minute overlapping integrated averages for a continuous opacity monitor) in a six (6) hour period.

C.3 Open Burning [326 IAC 4-1] [IC 13-17-9]

The Permittee shall not open burn any material except as provided in 326 IAC 4-1-3, 326 IAC 4-1-4 or 326 IAC 4-1-6. The previous sentence notwithstanding, the Permittee may open burn in accordance with an open burning approval issued by the Commissioner under 326 IAC 4-1-4.1. 326 IAC 4-1-3 (a)(2)(A) and (B) are not federally enforceable.

C.4 Incineration [326 IAC 4-2][326 IAC 9-1-2]

The Permittee shall not operate an incinerator or incinerate any waste or refuse except as provided in 326 IAC 4-2 and 326 IAC 9-1-2.

C.5 Fugitive Dust Emissions [326 IAC 6-4]

The Permittee shall not allow fugitive dust to escape beyond the property line or boundaries of the property, right-of-way, or easement on which the source is located, in a manner that would violate 326 IAC 6-4 (Fugitive Dust Emissions). 326 IAC 6-4-2(4) is not federally enforceable.

C.6 Operation of Equipment [326 IAC 2-7-6(6)]

All air pollution control equipment listed in this permit and used to comply with an applicable requirement shall be operated at all times that the emission unit vented to the control equipment is in operation.

C.7 Stack Height [326 IAC 1-7]

The Permittee shall comply with the applicable provisions of 326 IAC 1-7 (Stack Height Provisions), for all exhaust stacks through which a potential (before controls) of twenty-five (25) tons per year or more of particulate matter or sulfur dioxide is emitted.

C.8 Asbestos Abatement Projects [326 IAC 14-10] [326 IAC 18] [40 CFR 61.140]

- (a) Notification requirements apply to each owner or operator. If the combined amount of regulated asbestos containing material (RACM) to be stripped, removed or disturbed is at least 260 linear feet on pipes or 160 square feet on other facility components, or at least thirty-five (35) cubic feet on all facility components, then the notification requirements of 326 IAC 14-10-3 are mandatory. All demolition projects require notification whether or not asbestos is present.
- (b) The Permittee shall ensure that a written notification is sent on a form provided by the Commissioner at least ten (10) working days before asbestos stripping or removal work or before demolition begins, per 326 IAC 14-10-3, and shall update such notice as necessary, including, but not limited to the following:

Good Samaritan Hospital First Reopening No.: 083-13346 Page 17 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

- (1) When the amount of affected asbestos containing material increases or decreases by at least twenty percent (20%); or
- (2) If there is a change in the following:
 - (A) Asbestos removal or demolition start date;
 - (B) Removal or demolition contractor; or
 - (C) Waste disposal site.
- (c) The Permittee shall ensure that the notice is postmarked or delivered according to the guidelines set forth in 326 IAC 14-10-3(2).
- (d) The notice to be submitted shall include the information enumerated in 326 IAC 14-10-3(3).

All required notifications shall be submitted to:

Indiana Department of Environmental Management Asbestos Section, Office of Air Quality 100 North Senate Avenue, P.O. Box 6015 Indianapolis, Indiana 46206-6015

The notifications do not require a certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- (e) Procedures for Asbestos Emission Control
 - The Permittee shall comply with the emission control procedures in 326 IAC 14-10-4 and 40 CFR 61.145(c). Per 326 IAC 14-10-4 emission control requirements are mandatory for any removal or disturbance of RACM greater than three (3) linear feet on pipes or three (3) square feet on any other facility components or a total of at least 0.75 cubic feet on all facility components.
- (f) Indiana Accredited Asbestos Inspector
 The Permittee shall comply with 326 IAC 14-10-1(a) that requires the owner or operator, prior to a
 renovation/demolition, to use an Indiana Accredited Asbestos Inspector to thoroughly inspect the
 affected portion of the facility for the presence of asbestos. The requirement that the inspector be
 accredited is federally enforceable.

Testing Requirements [326 IAC 2-7-6(1)]

C.9 Performance Testing [326 IAC 3-6]

(a) All testing shall be performed according to the provisions of 326 IAC 3-6 (Source Sampling Procedures), except as provided elsewhere in this permit, utilizing methods approved by IDEM, OAQ.

A test protocol, except as provided elsewhere in this permit, shall be submitted to:

Indiana Department of Environmental Management Compliance Data Section, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

no later than thirty-five (35) days prior to the intended test date. The Permittee shall submit a notice of the actual test date to the above address so that it is received at least two weeks prior to the test date.

Good Samaritan Hospital First Reopening No.: 083-13346 Page 18 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

(b) All test reports must be received by IDEM, OAQ within forty-five (45) days after the completion of the testing. An extension may be granted by the Commissioner, if the source submits to IDEM, OAQ, a reasonable written explanation within five (5) days prior to the end of the initial forty-five (45) day period.

The documentation submitted by the Permittee does not require certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

Compliance Monitoring Requirements [326 IAC 2-7-5(1)] [326 IAC 2-7-6(1)]

C.10 Compliance Schedule [326 IAC 2-7-6(3)]

The Permittee:

- (a) Has certified that all facilities at this source are in compliance with all applicable requirements; and
- (b) Has submitted a statement that the Permittee will continue to comply with such requirements; and
- (c) Will comply with such applicable requirements that become effective during the term of this permit.

C.11 Compliance Monitoring [326 IAC 2-7-5(3)] [326 IAC 2-7-6(1)]

Compliance with applicable requirements shall be documented as required by this permit. The Permittee shall be responsible for installing any necessary equipment and initiating any required monitoring related to that equipment, no more than ninety (90) days after receipt of this permit. If due to circumstances beyond its control, this schedule cannot be met, the Permittee may extend compliance schedule an additional ninety (90) days provided the Permittee notifies:

Indiana Department of Environmental Management Compliance Branch, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

in writing, prior to the end of the initial ninety (90) day compliance schedule, with full justification of the reasons for the inability to meet this date.

The notification which shall be submitted by the Permittee does require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

C.12 Monitoring Methods [326 IAC 3]

Any monitoring or testing performed to meet the applicable requirements of this permit shall be performed according to the provisions of 326 IAC 3, 40 CFR 60, Appendix A, or other approved methods as specified in this permit.

Corrective Actions and Response Steps [326 IAC 2-7-5] [326 IAC 2-7-6]

C.13 Emergency Reduction Plans [326 IAC 1-5-2] [326 IAC 1-5-3]

Pursuant to 326 IAC 1-5-2 (Emergency Reduction Plans; Submission):

- (a) The Permittee prepared and submitted written emergency reduction plans (ERPs) consistent with safe operating procedures on December 20, 1996.
- (b) If the ERP is disapproved by IDEM, OAQ, the Permittee shall have an additional thirty (30) days to resolve the differences and submit an approvable ERP.
- (c) These ERPs shall state those actions that will be taken, when each episode level is declared, to reduce or eliminate emissions of the appropriate air pollutants.
- (d) Said ERPs shall also identify the sources of air pollutants, the approximate amount of reduction of the pollutants, and a brief description of the manner in which the reduction will be achieved.

Good Samaritan Hospital First Reopening No.: 083-13346 Page 19 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

(e) Upon direct notification by IDEM, OAQ, that a specific air pollution episode level is in effect, the Permittee shall immediately put into effect the actions stipulated in the approved ERP for the appropriate episode level. [326 IAC 1-5-3]

C.14 Risk Management Plan [326 IAC 2-7-5(12)] [40 CFR 68.215]

If a regulated substance, subject to 40 CFR 68, is present in a process in more than the threshold quantity, 40 CFR 68 is an applicable requirement and the Permittee shall:

- (a) Submit:
 - (1) A compliance schedule for meeting the requirements of 40 CFR 68 by the date provided in 40 CFR 68.10(a); or
 - (2) As a part of the compliance certification submitted under 326 IAC 2-7-6(5), a certification statement that the source is in compliance with all the requirements of 40 CFR 68, including the registration and submission of a Risk Management Plan (RMP); and
 - (3) A verification to IDEM, OAQ, that a RMP or a revised plan was prepared and submitted as required by 40 CFR 68.
- (b) Provide annual certification to IDEM, OAQ, that the Risk Management Plan is being properly implemented.

All documents submitted pursuant to this condition shall include the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

- C.15 Compliance Monitoring Plan Failure to Take Response Steps [326 IAC 2-7-5][326 IAC 2-7-6] [326 IAC 1-6]
 - (a) The Permittee is required to implement a compliance monitoring plan to ensure that reasonable information is available to evaluate its continuous compliance with applicable requirements. This compliance monitoring plan is comprised of:
 - This condition;
 - (2) The Compliance Determination Requirements in Section D of this permit;
 - (3) The Compliance Monitoring Requirements in Section D of this permit;
 - (4) The Record Keeping and Reporting Requirements in Section C (Monitoring Data Availability, General Record Keeping Requirements, and General Reporting Requirements) and in Section D of this permit; and
 - (5) A Compliance Response Plan (CRP) for each compliance monitoring condition of this permit. CRP's shall be submitted to IDEM, OAQ upon request and shall be subject to review and approval by IDEM, OAQ. The CRP shall be prepared within ninety (90) days after issuance of this permit by the Permittee and maintained on site, and is comprised of:
 - (A) Response steps that will be implemented in the event that compliance related information indicates that a response step is needed pursuant to the requirements of Section D of this permit; and
 - (B) A time schedule for taking such response steps including a schedule for devising additional response steps for situations that may not have been predicted.
 - (b) For each compliance monitoring condition of this permit, appropriate response steps shall be taken when indicated by the provisions of that compliance monitoring condition. Failure to perform the

Good Samaritan Hospital First Reopening No.: 083-13346 Page 20 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027

Permit Reviewer: Melissa Groch

actions detailed in the compliance monitoring conditions or failure to take the response steps within the time prescribed in the Compliance Response Plan, shall constitute a violation of the permit unless taking the response steps set forth in the Compliance Response Plan would be unreasonable.

- (c) After investigating the reason for the excursion, the Permittee is excused from taking further response steps for any of the following reasons:
 - (1) The monitoring equipment malfunctioned, giving a false reading. This shall be an excuse from taking further response steps providing that prompt action was taken to correct the monitoring equipment.
 - (2) The Permittee has determined that the compliance monitoring parameters established in the permit conditions are technically inappropriate, has previously submitted a request for an administrative amendment to the permit, and such request has not been denied or;
 - An automatic measurement was taken when the process was not operating; or
 - (4) The process has already returned to operating within "normal" parameters and no response steps are required.
- (d) Records shall be kept of all instances in which the compliance related information was not met and of all response steps taken. In the event of an emergency, the provisions of 326 IAC 2-7-16 (Emergency Provisions) requiring prompt corrective action to mitigate emissions shall prevail.

C.16 Actions Related to Noncompliance Demonstrated by a Stack Test [326 IAC 2-7-5] [326 IAC 2-7-6]

- (a) When the results of a stack test performed in conformance with Section C Performance Testing, of this permit exceed the level specified in any condition of this permit, the Permittee shall take appropriate corrective actions. The Permittee shall submit a description of these corrective actions to IDEM, OAQ, within thirty (30) days of receipt of the test results. The Permittee shall take appropriate action to minimize emissions from the affected facility while the corrective actions are being implemented. IDEM, OAQ shall notify the Permittee within thirty (30) days, if the corrective actions taken are deficient. The Permittee shall submit a description of additional corrective actions taken to IDEM, OAQ within thirty (30) days of receipt of the notice of deficiency. IDEM, OAQ reserves the authority to use enforcement activities to resolve noncompliant stack tests.
- (b) A retest to demonstrate compliance shall be performed within one hundred twenty (120) days of receipt of the original test results. Should the Permittee demonstrate to IDEM, OAQ that retesting in one-hundred and twenty (120) days is not practicable, IDEM, OAQ may extend the retesting deadline. Failure of the second test to demonstrate compliance with the appropriate permit conditions may be grounds for immediate revocation of the permit to operate the affected facility.

The documents submitted pursuant to this condition do not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

C.17 Emission Statement [326 IAC 2-7-5(3)(C)(iii)][326 IAC 2-7-5(7)][326 IAC 2-7-19(c)][326 IAC 2-6]

- (a) The Permittee shall submit an annual emission statement certified pursuant to the requirements of 326 IAC 2-6, that must be received by July 1 of each year and must comply with the minimum requirements specified in 326 IAC 2-6-4. The annual emission statement shall meet the following requirements:
 - (1) Indicate actual emissions of criteria pollutants from the source, in compliance with 326 IAC 2-6 (Emission Reporting);
 - (2) Indicate actual emissions of other regulated pollutants from the source, for purposes of Part 70 fee assessment.

Good Samaritan Hospital First Reopening No.: 083-13346 Page 21 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027

Permit Reviewer: Melissa Groch

(b) The annual emission statement covers the twelve (12) consecutive month time period starting January 1 and ending December 31. The annual emission statement must be submitted to:

Indiana Department of Environmental Management Technical Support and Modeling Section, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

(c) The annual emission statement required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.

C.18 Monitoring Data Availability [326 IAC 2-7-6(1)] [326 IAC 2-7-5(3)]

- (a) With the exception of performance tests conducted in accordance with Section C- Performance Testing, all observations, sampling, maintenance procedures, and record keeping, required as a condition of this permit shall be performed at all times the equipment is operating at normal representative conditions.
- (b) As an alternative to the observations, sampling, maintenance procedures, and record keeping of subsection (a) above, when the equipment listed in Section D of this permit is not operating, the Permittee shall either record the fact that the equipment is shut down or perform the observations, sampling, maintenance procedures, and record keeping that would otherwise be required by this permit.
- (c) If the equipment is operating but abnormal conditions prevail, additional observations and sampling should be taken with a record made of the nature of the abnormality.
- (d) If for reasons beyond its control, the operator fails to make required observations, sampling, maintenance procedures, or record keeping, reasons for this must be recorded.
- (e) At its discretion, IDEM may excuse such failure providing adequate justification is documented and such failures do not exceed five percent (5%) of the operating time in any quarter.
- (f) Temporary, unscheduled unavailability of staff qualified to perform the required observations, sampling, maintenance procedures, or record keeping shall be considered a valid reason for failure to perform the requirements stated in (a) above.

C.19 General Record Keeping Requirements [326 IAC 2-7-5(3)][326 IAC 2-7-6]

- (a) Records of all required monitoring data and support information shall be retained for a period of at least five (5) years from the date of monitoring sample, measurement, report, or application. These records shall be kept at the source location for a minimum of three (3) years and available upon the request of an IDEM, OAQ, representative. The records may be stored elsewhere for the remaining two (2) years as long as they are available upon request. If the Commissioner makes a written request for records to the Permittee, the Permittee shall furnish the records to the Commissioner within a reasonable time.
- (b) Records of required monitoring information shall include, where applicable:
 - (1) The date, place, and time of sampling or measurements;
 - (2) The dates analyses were performed;
 - (3) The company or entity performing the analyses;

Good Samaritan Hospital First Reopening No.: 083-13346 Page 22 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027

Permit Reviewer: Melissa Groch

- (4) The analytic techniques or methods used;
- (5) The results of such analyses; and
- (6) The operating conditions existing at the time of sampling or measurement.
- (c) Support information shall include, where applicable:
 - (1) Copies of all reports required by this permit;
 - (2) All original strip chart recordings for continuous monitoring instrumentation;
 - (3) All calibration and maintenance records;
 - (4) Records of preventive maintenance shall be sufficient to demonstrate that improper maintenance did not cause or contribute to a violation of any limitation on emissions or potential to emit. To be relied upon subsequent to any such violation, these records may include, but are not limited to: work orders, parts inventories, and operator's standard operating procedures. Records of response steps taken shall indicate whether the response steps were performed in accordance with the Compliance Response Plan required by Section C Compliance Monitoring Plan Failure to take Response Steps, of this permit, and whether a deviation from a permit condition was reported. All records shall briefly describe what maintenance and response steps were taken and indicate who performed the tasks.
- (d) All record keeping requirements not already legally required shall be implemented within ninety (90) days of permit issuance.

C.20 General Reporting Requirements [326 IAC 2-7-5(3)(C)]

- (a) To affirm that the source has met all the compliance monitoring requirements stated in this permit the source shall submit a Quarterly Compliance Monitoring Report. Any deviation from the requirements and the date(s) of each deviation must be reported.
- (b) The report required in (a) of this condition and reports required by conditions in Section D of this permit shall be submitted to:

Indiana Department of Environmental Management Compliance Data Section, Office of Air Quality 100 North Senate Avenue, P. O. Box 6015 Indianapolis, Indiana 46206-6015

- (c) Unless otherwise specified in this permit, any notice, report, or other submission required by this permit shall be considered timely if the date postmarked on the envelope or certified mail receipt, or affixed by the shipper on the private shipping receipt, is on or before the date it is due. If the document is submitted by any other means, it shall be considered timely if received by IDEM, OAQ, on or before the date it is due.
- (d) Unless otherwise specified in this permit, any quarterly report shall be submitted within thirty (30) days of the end of the reporting period.
- (e) All instances of deviations as described in Section B- Deviations from Permit Requirements Conditions must be clearly identified in such reports.
- (f) Any corrective actions or response steps taken as a result of each deviation must be clearly identified in such reports.
- (g) The first report shall cover the period commencing on the date of issuance of this permit and ending on the last day of the reporting period.

Good Samaritan Hospital First Reopening No.: 083-13346 Page 23 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027

Permit Reviewer: Melissa Groch

The documents submitted pursuant to this condition do not require the certification by the "responsible official" as defined by 326 IAC 2-7-1(34).

Stratospheric Ozone Protection

C.21 Compliance with 40 CFR 82 and 326 IAC 22-1

Pursuant to 40 CFR 82 (Protection of Stratospheric Ozone), Subpart F, except as provided for motor vehicle air conditioners in Subpart B, the Permittee shall comply with the standards for recycling and emissions reduction:

- (a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- (b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- (c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

SECTION D.1

First Reopening No.: 083-13346 Reopening by: Janet Mobley

FACILITY OPERATION CONDITIONS

Page 24 of 35

OP No. T083-7971-00027

Facility Description [326 IAC 2-7-5(15)]: One (1) large Medical Waste Incinerator, rated at 4.8 MMBtu per hour, identified as EU1, constructed in 1992, with a maximum charge rate of less than 500 pounds per hour of medical waste. Emissions shall be exhausted at stack S1.

Emission Limitations and Standards [326 IAC 2-7-5(1)]

D.1.1 Special Condition

The medical waste incinerator, identified as EU1, shall have a charge rate of less than 500 pounds per hour of medical waste.

D.1.2 Burning Regulations for Incinerators (PM) [326 IAC 4-2]

Pursuant to Registration 083-2698-00027, issued on November 9, 1992, and 326 IAC 4-2-2, Burning Regulations for Incinerators, the medical waste incinerator, EU1, with a maximum charge rate of less than 500 pounds per hour waste, shall:

- (a) Consist of primary and secondary chambers or the equivalent.
- (b) Be equipped with a primary burner unless burning wood products.
- (c) Comply with 326 IAC 5-1(Opacity limitations).
- (d) Be maintained properly as specified by the manufacturer and approved by IDEM.
- (e) Be operated according to the manufacturer's recommendation and only burn waste approved by IDEM.
- (f) Comply with other state and/or local rules or ordinances regarding installation and operation of incinerators.
- (g) Be operated so that emissions of hazardous materials including, but not limited to, viable pathogenic bacteria, dangerous chemicals or gases, or noxious odors are prevented.
- (h) Not create a nuisance or a fire hazard.
- (i) Not emit particulate matter in excess of three-tenths (0.3) pounds of particulate matter per one thousand (1,000) pounds of dry exhaust gas at standard conditions corrected to fifty percent (50%) excess air.

The operation of the incinerator shall be terminated immediately upon noncompliance with any of the above mentioned requirements.

D.1.3 General Provisions Relating to NSPS [326 IAC 12-1][40 CFR Part 60, Subpart A]

The provisions of 40 CFR 60, Subpart A - General Provisions, which are incorporated by reference in 326 IAC 12-1, apply to the facility described in this section except when otherwise specified in 40 CFR 60, Subpart Ce.

D.1.4 Hospital/Medical/Infectious Waste Incinerators [326 IAC 11-6] [40 CFR 60, Subpart Ce]

- (a) The medical waste incinerator is subject to 326 IAC 11-6 and 40 CFR 60, Subpart Ce with a compliance date of one year after the effective date of the rule, unless the facility is undergoing retrofit to come into compliance where compliance is required no later than March 31, 2002.
- (b) Pursuant to 326 IAC 11-6 and 40 CFR 60, Subpart Ce, the medical waste incinerator shall comply with the following emission limits:
 - (1) Particulate Matter emissions shall not exceed 0.03 grains per dry standard cubic foot for medium HMIWI.
 - (2) Carbon Monoxide emissions shall not exceed 40 parts per million by volume;
 - (3) Dioxins/furans shall not exceed 55 grains per billion dry standard cubic feet total dioxins/furans or 1.0 grains per billion dry standard cubic feet toxic equivalent quantity (TEQ);
 - (4) Hydrogen chloride emissions shall not exceed 100 parts per million by volume or a 93% reduction;

Good Samaritan Hospital First Reopening No.: 083-13346 Page 25 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

- (5) Sulfur dioxide emissions shall not exceed 55 parts per million by volume;
- (6) Nitrogen oxide emissions shall not exceed 250 parts per million by volume;
- (7) Lead emissions shall not exceed 0.52 grains per thousand dry standard cubic feet or a 70% reduction;
- (8) Cadmium emissions shall not exceed 0.07 grains per thousand dry standard cubic feet or a 65% reduction;
- (9) Mercury emissions shall not exceed 0.24 grains per thousand dry standard cubic feet or a 85% reduction;
- (10) Discharge into the atmosphere of any gases shall not exceed ten percent (10%) opacity (6-minute block average).

D.1.5 Operator Training and Qualification Requirements [40 CFR 60.34e][40 CFR 60.53c(h)] [326 IAC 11-6-5]

The medical waste incinerator shall not operate at any time unless a fully trained and qualified Hospital/Medical/Infectious Waste Incinerator (HMIWI) operator is accessible either at the facility or available within one (1) hour. The following documentation shall be maintained at the facility and an initial review of the information with each HMIWI operator shall be conducted within one (1) year after the effective date of this rule and annually, thereafter:

- (a) Summary of the applicable standards;
- (b) Description of basic combustion theory applicable to an HMIWI;
- (c) Procedures for receiving, handling, and charging waste;
- (d) HMIWI startup, shutdown and malfunction procedures;
- (e) Procedures for maintaining proper combustion air supply levels;
- (f) Procedures for operating the HMIWI and associated air pollution control systems;
- (g) Procedures for responding to periodic malfunction or conditions that may lead to malfunction;
- (h) Procedures for monitoring HMIWI emissions;
- (i) Reporting and record keeping;
- (j) Procedures for handling ash.

D.1.6 Waste Management Plan [326 IAC 11-6-6] [40 CFR 60.35e]

The source shall prepare and submit a waste management plan as specified in 40 CFR 60.55c no later than sixty (60) days following the initial performance test. The plan must identify both the feasibility and the approach to separate certain components of solid waste from the health care waste stream in order to reduce the amount of toxic emissions from incinerated waste.

D.1.7 Carbon Monoxide [326 IAC 9-1-2]

Pursuant to 326 IAC 9-1-2(3), Carbon Monoxide emission limits for refuse incineration and burning equipment, for the medical waste incinerator, EU1, no person shall cause or allow the discharge of carbon monoxide unless the waste gas stream is burned in a direct-flame afterburner or is controlled by other means approved by the commissioner.

D.1.8 Preventive Maintenance Plan [326 IAC 2-7-5(13)]

A Preventive Maintenance Plan, in accordance with Section B - Preventive Maintenance Plan, of this permit, is required for this facility and any control devices.

Compliance Determination Requirements

D.1.9 Testing Requirements [326 IAC 2-7-6(1),(6)] [326 IAC 11-6-7] [40 CFR 60, Subpart Ce]

(a) Pursuant to 326 IAC 11-6 and 40 CFR 60, Subpart Ce, an initial performance test to demonstrate compliance with Condition D.1.4 must be conducted no later than March 31, 2002. Compliance shall be determined according to 326 IAC 3-6 concerning source sampling procedures and 40 CFR 60, Subpart Ec, Section 60.56c, excluding the fugitive emissions testing requirements under Section 60.56c(b)(12) and 60.56(c)(3).

Good Samaritan Hospital First Reopening No.: 083-13346 Page 26 of 35 Vincennes, Indiana Reopening by: Janet Mobley OP No. T083-7971-00027 Permit Reviewer: Melissa Groch

(b) Pursuant to 40 CFR 60.56c(c)(2) and (3), annual performance testing to demonstrate compliance with the PM, CO, HCL and opacity emission limits established in D.1.4 shall be performed each year following the initial performance test.

(c) IDEM may require compliance testing at any specific time when necessary to determine if the facility is in compliance. If testing is required by IDEM, compliance shall be determined by a performance test conducted in accordance with Section C - Performance Testing.

D.1.10 Compliance Date [326 IAC 11-6-9] [40 CFR 60.39e]

Pursuant to 326 IAC 11-6-9, the source shall install any necessary air pollution control equipment and be in compliance with all provisions of this rule no later than March 31, 2002, provided the following measurable and enforceable incremental steps of progress are taken:

- (a) Submit a final control plan no later than June 30, 1999;
- (b) Award contracts for emissions control systems or for process modifications, or issuance of orders for the purchase of component parts to accomplish emission control or process modifications no later than March 31, 2000;
- (c) Initiate on-site construction or installation of emission control equipment or process change no later than March 31, 2001;
- (d) Complete on-site construction or installation of emission control equipment or process change no later than September 30, 2001;
- (e) Be in final compliance no later than March 31, 2002.
- (f) The source shall be in compliance with the operator training and qualification requirements within one (1) year after the effective date of this rule.

Compliance Monitoring Requirements [326 IAC 2-7-6(1)] [326 IAC 2-7-5(1)]

D.1.11 Monitoring [326 IAC 11-6-7] [40 CFR 60.57c]

- (a) Compliance monitoring shall be performed according to 40 CFR 60.57c, based on the type of control equipment installed.
- (b) The Permittee shall obtain monitoring data at all times during HMIWI operation except during periods of monitoring equipment malfunction, calibration, or repair. At a minimum, valid monitoring data shall be obtained for 75 percent of the operating hours per day and for 90 percent of the operating days per calendar quarter that the affected facility is combusting hospital, medical and/or infectious waste.

D.1.12 Visible Emissions Notations

- (a) Daily visible emission notations of the medical waste incinerator stack exhaust, S1, shall be performed during normal daylight operations until the final compliance date of March 31, 2002. A trained employee shall record whether emissions are normal or abnormal.
- (b) For processes operated continuously, "normal" means those conditions prevailing, or expected to prevail, eighty (80) percent of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, reading shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- (e) The Compliance Response Plan for this unit shall contain troubleshooting contingency and response steps for when an abnormal emission is observed.

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

D.1.13 Record Keeping Requirements

(a) To document compliance with Condition D.1.4, the Permittee shall maintain information on site for a period of at least 5 years sufficient to establish compliance with 40 CFR 60.58c, based on the control equipment installed.

First Reopening No.: 083-13346 Reopening by: Janet Mobley

(b) To document compliance with Condition D.1.12, the Permittee shall maintain records of daily visible emission notations of the incinerator stack exhaust, S1, until the final compliance date of March 31, 2002.

Page 27 of 35

OP No. T083-7971-00027

D.1.14 Reporting Requirements

- (a) The Permittee shall submit a final control plan no later than June 30, 1999.
- (b) The Permittee shall submit the following information no later than 60 days following the initial performance test:
 - (1) The initial performance test data;
 - (2) The values for the site-specific operating parameters, as applicable [40 CFR 60.56c(d) or (i)];
 - (3) The waste management plan.
- (c) Upon the compliance date, the Permittee must submit a semi-annual report, including the following information:
 - (1) The values for the site-specific operating parameters, as applicable;
 - (2) The highest maximum operating parameter and the lowest operating parameter, as applicable, for the year being reported;
 - (3) The highest maximum operating parameter and the lowest operating parameter as applicable, for the year preceding the year being reported;
 - (4) Identification of calendar days, times, description and durations of malfunctions; calendar days of emission rates or operating parameters not measured and the reason; and calendar days of emissions rates or operating parameters exceeding the applicable limits; for the year being reported;
 - (5) Identification of calendar days, times, description and durations of malfunctions; calendar days of emission rates or operating parameters not measured and the reason; and calendar days of emissions rates or operating parameters exceeding the applicable limits; for the preceding year being reported;
 - (6) If a performance test was conducted during the reporting period, the results of that test;
 - (7) If no exceedances or malfunctions were reported for the calendar year being reported, a statement that no exceedances occurred during the reporting period;
 - (8) Any use of the bypass stack, the duration, reason for malfunction and corrective action taken;
- (d) The reports required in (a), (b) and (c) of this condition shall be submitted to the address listed in Section C General Reporting Requirements.

SECTION D.2

First Reopening No.: 083-13346 Reopening by: Janet Mobley

FACILITY OPERATION CONDITIONS

Facility Description [326 IAC 2-7-5(15)] Two (2) natural gas fired boilers using distillate fuel for backup, identified as EU2 and EU3, each rated at 46 MMBtu per hour, and constructed in 1969, with both exhausting at stack S2.

Emission Limitations and Standards [326 IAC 2-7-5(1)]

D.2.1 Particulate Matter Limitation (PM) [326 IAC 6-2-3]

Pursuant to 326 IAC 6-2-3(d) (Particulate emission limitations for sources of indirect heating: emission limitations for facilities specified in 326 IAC 6-2-1(b)), particulate emissions from each of the boilers, EU2 and EU3, shall in no case exceed 0.8 pounds of particulate matter per million British thermal units heat input.

D.2.2 Sulfur Dioxide (SO₂) [326 IAC 7-1.1-1]

Pursuant to 326 IAC 7-1.1 (SO₂ Emissions Limitations) the SO₂ emissions from each of the boilers, EU2 and EU3, shall not exceed five tenths (0.5) pounds per MMBtu heat input when using distillate fuel for backup.

D.2.3 Preventive Maintenance Plan [326 IAC 2-7-5(13)]

A Preventive Maintenance Plan, in accordance with Section B - Preventive Maintenance Plan, of this permit, is required for this facility and its control device.

Compliance Determination Requirements

D.2.4 Testing Requirements [326 IAC 2-7-6(1),(6)]

The Permittee is not required to test this facility by this permit. However, IDEM may require compliance testing at any specific time when necessary to determine if the facility is in compliance. If testing is required by IDEM, compliance with the PM and SO₂ limits specified in Conditions D.2.1 and D.2.2 shall be determined by a performance test conducted in accordance with Section C - Performance Testing.

D.2.5 Sulfur Dioxide Emissions and Sulfur Content

Compliance shall be determined utilizing one of the following options.

- (a) Pursuant to 326 IAC 3-7-4, the Permittee shall demonstrate that the fuel oil sulfur content, when firing distillate fuel oil in either boiler, EU2 or EU3, does not exceed five-tenths percent (0.5%) by weight by:
 - (1) Providing vendor analysis of fuel delivered, if accompanied by a certification;
 - (2) Analyzing the oil sample to determine the sulfur content of the oil via the procedures in 40 CFR 60, Appendix A, Method 19.
 - (A) Oil samples may be collected from the fuel tank immediately after the fuel tank is filled and before any oil is combusted; and
 - (B) If a partially empty fuel tank is refilled, a new sample and analysis would be required upon filling; or
- (b) Compliance may also be determined by conducting a stack test for sulfur dioxide emissions from the boilers EU2 and EU3, using 40 CFR 60, Appendix A, Method 6 in accordance with the procedures in 326 IAC 3-6.

A determination of noncompliance pursuant to either of the methods specified in (a) or (b) above shall not be refuted by evidence of compliance pursuant to the other method.

Compliance Monitoring Requirements [326 IAC 2-7-6(1)] [326 IAC 2-7-5(1)]

D.2.6 Visible Emissions Notations

(a) Daily visible emission notations of the boilers' stack exhaust, S2, when using distillate oil, shall be performed during normal daylight operations when exhausting to the atmosphere. A trained employee shall record whether emissions are normal or abnormal.

Page 28 of 35 OP No. T083-7971-00027 Good Samaritan Hospital First Reopening No.: 083-13346 Page 29 of 35 OP No. T083-7971-00027 Vincennes, Indiana Reopening by: Janet Mobley

Permit Reviewer: Melissa Groch

- For processes operated continuously, "normal" means those conditions prevailing, or expected to (b) prevail, eighty percent (80%) of the time the process is in operation, not counting startup or shut down time.
- (c) In the case of batch or discontinuous operations, readings shall be taken during that part of the operation that would normally be expected to cause the greatest emissions.
- (d) A trained employee is an employee who has worked at the plant at least one (1) month and has been trained in the appearance and characteristics of normal visible emissions for that specific process.
- The Compliance Response Plan for this unit shall contain troubleshooting contingency and response (e) steps for when an abnormal emission is observed.

Record Keeping and Reporting Requirements [326 IAC 2-7-5(3)] [326 IAC 2-7-19]

Record Keeping Requirements

- To document compliance with Conditions D.2.1 and D.2.2, the Permittee shall maintain records in (a) accordance with (1) through (6) below.
 - Calendar dates covered in the compliance determination period; (1)
 - (2) Actual fuel oil usage since last compliance determination period and equivalent sulfur dioxide emissions;
 - (3)A certification, signed by the owner or operator, that the records of the fuel supplier certifications represent all of the fuel combusted during the period; and

If the fuel supplier certification is used to demonstrate compliance the following, as a minimum, shall be maintained:

- (4) Fuel supplier certifications;
- (5) The name of the fuel supplier; and
- (6) A statement from the fuel supplier that certifies the sulfur content of the fuel oil.

The Permittee shall retain records of all recording/monitoring data and support information for a period of five (5) years, or longer if specified elsewhere in this permit, from the date of the monitoring sample, measurement, or report. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit.

- (b) To document compliance with Condition D.2.6, the Permittee shall maintain records of daily visible emission notations of the boilers' stack exhaust, S2.
- All records shall be maintained in accordance with Section C General Record Keeping (c) Requirements, of this permit.

Reporting Requirements D.2.8

A quarterly summary of the information to document compliance with Condition D.2.1 and D.2.2 in any compliance period when No. 2 fuel oil was combusted, and the natural gas fired boiler certification, shall be submitted to the address listed in Section C - General Reporting Requirements, using the reporting forms located at the end of this permit, or their equivalent, within thirty (30) days after the end of the guarter being reported.

First Reopening No.: 083-13346 Reopening by: Janet Mobley

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

Page 30 of 35

OP No. T083-7971-00027

PART 70 OPERATING PERMIT CERTIFICATION

Source Name: Good Samaritan Hospital

Source Address: 520 South Seventh Street, Vincennes, Indiana, 47951

Mailing Address: Same

Part 70 Permit No.: T083-7971-00027

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.			
Please check what document is being certified:			
9 Annual Compliance Certification Letter			
9 Test Result (specify)			
9 Report (specify)			
9 Notification (specify)			
9 Other (specify)			
I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.			
Signature:			
Printed Name:			
Title/Position:			
Date:			

First Reopening No.: 083-13346 Reopening by: Janet Mobley

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY

COMPLIANCE BRANCH
P.O. Box 6015
100 North Senate Avenue
Indianapolis, Indiana 46206-6015
Phone: 317-233-5674
Fax: 317-233-5967

PART 70 OPERATING PERMIT EMERGENCY/DEVIATION OCCURRENCE REPORT

Source Name: Good Samaritan Hospital

Source Address: 520 South Seventh Street, Vincennes, Indiana, 47951

Mailing Address: Same

Part 70 Permit No.: T083-7971-00027

This	form	consists	of 2	pages
------	------	----------	------	-------

Page 1 of 2

Page 31 of 35

OP No. T083-7971-00027

Check either No. 1 or No.2

- 9 1. This is an emergency as defined in 326 IAC 2-7-1(12)
 - The Permittee must notify the Office of Air Quality (OAQ), within four (4) business hours (1-800-451-6027 or 317-233-5674, ask for Compliance Section); and
 - The Permittee must submit notice in writing or by facsimile within two (2) days (Facsimile Number: 317-233-5967), and follow the other requirements of 326 IAC 2-7-16
- 9 2. This is a deviation, reportable per 326 IAC 2-7-5(3)(c)
 - C The Permittee must submit notice in writing within ten (10) calendar days

If any of the following are not applicable, mark N/A

Facility/Equipment/Operation:
Control Equipment:
Permit Condition or Operation Limitation in Permit:
Description of the Emergency/Deviation:
Describe the cause of the Emergency/Deviation:

First Reopening No.: 083-13346 Reopening by: Janet Mobley Page 32 of 35 OP No. T083-7971-00027

f any of the following are not applicable, mark N/A	Page 2 of 2
Date/Time Emergency/Deviation started:	
Date/Time Emergency/Deviation was corrected:	
Was the facility being properly operated at the time of the emergency/deviation? Y N Describe:	
Type of Pollutants Emitted: TSP, PM-10, SO ₂ , VOC, NO _X , CO, Pb, other:	
Estimated amount of pollutant(s) emitted during emergency/deviation:	
Describe the steps taken to mitigate the problem:	
Describe the corrective actions/response steps taken:	
Describe the measures taken to minimize emissions:	
If applicable, describe the reasons why continued operation of the facilities are necessary to prinjury to persons, severe damage to equipment, substantial loss of capital investment, or loss materials of substantial economic value:	
Form Completed by: Title / Position: Date: Phone:	

First Reopening No.: 083-13346 Reopening by: Janet Mobley

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE DATA SECTION

Page 33 of 35

OP No. T083-7971-00027

PART 70 OPERATING PERMIT NATURAL GAS FIRED BOILER CERTIFICATION

Source Name: Good Samaritan Hospital

Source Address: 520 South Seventh Street, Vincennes, Indiana, 47951

Mailing Address: Same

Part 70 Permit No.: T083-7971-00027

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.				
Report period Beginning: Ending:				
Boiler Affected	Alternate Fuel	Days burning alternate fuel From To		
I certify that, based on information and be in the document are true, accurate, and c		nable inquiry, the statements and information		
Signature:				
Printed Name:				
Title/Position:				
Date:				

First Reopening No.: 083-13346 Reopening by: Janet Mobley

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF AIR QUALITY COMPLIANCE DATA SECTION

Page 34 of 35

OP No. T083-7971-00027

Part 70 Quarterly Report

Source Name: Good Samaritan Hospital

Source Address: 520 South Seventh Street, Vincennes, Indiana, 47951

Mailing Address: Same

Part 70 Permit No.:T083-7971-00027 Facility: Boilers (EU2, EU3)

Parameters: PM emissions, SO₂ emissions, fuel oil analysis, fuel oil usage

Limit: PM emissions from each boiler shall not exceed 0.8 pounds PM per million Btu;

SO₂ emissions from each boiler shall not exceed 0.5 pounds per million Btu;

Fuel oil sulfur content does not exceed five percent (0.5%) by weight.

QUARTER/YEAR:	
GOVILLO I FULL	

Month	Usage (gallons)	Monthly Average Sulfur Content (%)	Monthly Average Heat Content (MMBtu/lb)	PM Emission Rate (lbs/MMBtu)	SO ₂ Emission Rate (lbs/MMBtu)
# of Deviations					

9	No deviation occurred in this quarter.
9	Deviation(s) occurred in this quarter. Deviation has been reported on:
Sub	omitted by:
Title	e / Position:
Sig	nature:
_	e:
Pho	oue.

First Reopening No.: 083-13346 Reopening by: Janet Mobley

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE DATA SECTION

Page 35 of 35

OP No. T083-7971-00027

PART 70 OPERATING PERMIT QUARTERLY COMPLIANCE MONITORING REPORT

Source Name:	Good Samaritan I	Hospital		
Source Address:	520 South Sevent	th Street, Vin	cennes, Indiana, 479	951
Mailing Address:				
Part 70 Permit No	.:T083-7971-00027	7		
	Months:	to	Year:	
permit. This repor the date(s) of each be supplemented	t shall be submitted q n deviation must be r	uarterly. Any eported. Add ergency/Devia	deviation from the com itional pages may be a tion Occurrence Repo	onitoring requirements stated in this pliance monitoring requirements and ttached if necessary. This form can rt. If no deviations occurred, please
9 NO DEVIATION	IS OCCURRED THIS	S REPORTING	G PERIOD	
9 THE FOLLOWI	NG DEVIATIONS O	CCURRED TH	IS REPORTING PERI	OD.
	onitoring Requirem nit Condition D.1.3)	ent Nu	mber of Deviations	Date of each Deviation
For	m Completed By:			
	e/Position:			
Dat				
Pho	nne:			

Attach a signed certification to complete this report.